Acquisitions Workflow

at Garfield County Public Libraries

Ordering

One-Click (Quick Click) ordering from Midwest Tapes and Ingram

Manual orders from Amazon and other vendors

Place EDI orders

FTP orders to Ingram and Midwest Tapes

Separate Midwest Tapes orders by age range and Ingram orders by branch


Process EDI Order Acknowledgments I only get EDI acknowledgments from Ingram. Midwest Tapes sends email confirmations.

Post Encumbrances

Duplicate Check

Using Headings Reports, run a duplicate entry search and clear the duplicates.

Load Records--make a list of pending orders




Load Records--flip list of orders into list of bibs

						ppend Liedupe Loopy	Empty
Boolear	n Search						×
		Revie <u>w</u> File Name:	GARCO order	bibs			
			and Descend To				
		St	ore Record Ty	pe: BIBLIOGRA	PHIC D 🔻		
Review	•	Review file:	134. GAR	CO orders (295	4) (ORDER)		•
	Operator	Туре	Field	Condition	Value A	Value B	
1							^
							~
							oup
						Ung	Jroup
						Inse	rt Line
						<u>A</u> pper	nd Line
						De	lete
						<mark>↓</mark> C <u>l</u> e	ar All
	<u>S</u> earch	Use Existing Se	earch <u>R</u> et	trieve Saved Qu	ery Sa <u>v</u> e S	Sav <u>e</u> As <u>C</u> lose	

Load Records--empty the list of orders and export the list of bibs using data exchange


1 Pana and a second	Jbrary Network - Amy Shipley - GarCo										90
Edit View Go	o Tools Reports Admin Wiedow All Load Help										
sierra				FL	UNCTION	Data E	Exchang	e			•
				Ð		1	5	C\$	C\$	1	100
				tiont	Shew Ceps	Delite	Get FTS	Get FTS .	Get PC	Prep F	Prep 1
		Select Process	Load Records via a Locally Created Load Profile	•							
File	Name	Туре	Load Records via a Locally Created Load Profile ((local)]	1	ast Modif	led			
1	1 Bib records to load gcld HEX_ADB_80446_0831201	erriog	Oneclick Log (click)		\$ 3:06PM						
2	1 Bib records to load gcld HEX_ADB_80446_0831201	ifts	Output MARC records (out)		\$ 3:06PM						
3	1 Bib records to load gcld HEX_ADB_80446_0831201	Imarc	Output Order Records (pur)		5 3:06PM						
4	2015 MARMOT-01.BIB.Imarc	Imarc	380655616	08-15-20	715 5:20PM						
5	2015 MARMOT-02.BIB.Imarc	Imarc	374161152	08-18-20	15 12:06AM						
6	2015 MARMOT-03.BIBJmarc	Imarc	574471424	08-19-20	15 11:51PM						
7	2015 MARMOT-04.BIBJmarc	Imarc	477644544	08-22-20	15 8:50PM						
	2015 MARMOT-05-BIB.Imarc	Imarc	270623488	08-22-20	015 8:07AM						

Load Records--export the list of bibs using data exchange



Load Records--export the list of bibs using data


exchange



Load Records--export the list of bibs using data exchange

🔜 Sierra · Marmot Library Network · Amy Shipley - GarCo										
<u>F</u> ile <u>E</u> dit <u>V</u> io	ew <u>G</u> o <u>T</u> ools Re <u>p</u> orts <u>A</u> dmir	n W <u>i</u> ndow	<u>H</u> elp							
SIECC FUNCTION Data Exchange										
View Copy Delete Create T Create D Create M Pr						Put PC				
	<u>S</u> elec	t Process Ou	utput MARC records	(out)	•	1				
File	Name	T	уре	Size	Last Modified 🕷					
22	garco.out	out	3143630		09-03-2015 4:15PM					
1	BUDordersoutaugust.out	out	3474968		08-12-2015 9:11AM					
7	July20output.out	out	31394149		07-21-2015 8:14AM					


Load Records--export the list of bibs using data exchange



Load Records

open the file you just exported, it will open in MarcEdit in MarcEdit click Execute, then Edit Records then save as Marmot.txt

Load Records



Load Records--use MarcEdit Join to bundle together a bunch of files



Load Records--name source file and files to join (source file is actually the "destination" file)

🙀 Utilties Dialog				
Batch Process MARC Records		MARCJoin Util	lity	
Export Tab Delimited Records	Source File:			Process
MARCJoin	File(s) to Join:			Close
MARCSplit				
Character				
Conversions				(i)
Merge Records				•

Load Records

🕼 Utilties Dialog				
Batch Process MARC Records		MARCJoin Utili	ty	
Export Tab Delimited Records MARCJoin	Source File: File(s) to Join:	S:\Acquisitions\records to Ic S:\Acquisitions\records to Io	1	Process Close
MARCSplit	Files ha	ve been combined to S:\Acquisit load\records 8 september 201		ecords to
Character Conversions Merge Records				i)

Load Records--open the joined file in MarcEdit

Browse to the file you just created, click on it to open it in MarcEdit, click Execute, Edit Records

Load Records--run the macro

In MarcEdit, click Plug-ins, Marquis Uncheck the box next to Use Server **Click Marguis**, **Process** Then click Marquis, Compile Close MarcEdit, it asks you if you want to save, click no.

Load Records--upload the compiled file to Sierra

💦 Sierra · N	Marmot Library Network · Amy Shi	pley - GarCo		E (🗆 🔀
<u>F</u> ile <u>E</u> dit <u>\</u>	<u>V</u> iew <u>G</u> o <u>T</u> ools Reports <u>A</u> dm	in W <u>i</u> ndow <u>A</u>	<u>A</u> ll Load <u>H</u> elp		
sie	na		FUNCT	TION Data Exchange	•
			View Copy Delete	Load Get FTS Get FTS Get PC Prep P Pre	ер Т
			view copy belote	Load Oct 15 Oct 15 Oct 16 Tropi Tro	opi
	<u>S</u> elect Pr	rocess Load Re	ecords via a Locally Created		opi
File	Name	Туре	ecords via a Locally Created		
1	Name	Type A errlog	ecords via a Locally Created Size 1996	Last Modified	
File 1 2	Name 1 Bib records to load gcld HEX_/ 1 Bib records to load gcld HEX_/	Type A errlog A errlog	ecords via a Locally Created Size 1996 1996	Load Profile Last Modified	
1	Name	Type A errlog A errlog	ecords via a Locally Created Size 1996	Last Modified	
1 2	Name 1 Bib records to load gcld HEX_/ 1 Bib records to load gcld HEX_/	Type A errlog A errlog A lfts	ecords via a Locally Created Size 1996 1996	Last Modified 09-03-2015 3:06PM 09-03-2015 4:14PM	
1 2	Name 1 Bib records to load gcld HEX_/	Type A errlog A errlog A lfts	ecords via a Locally Created Size 1996 1996 3422	Last Modified 09-03-2015 3:06PM 09-03-2015 4:14PM 09-03-2015 3:06PM	
1 2 3 4	Name 1 Bib records to load gcld HEX_/	Type A errlog A errlog A lfts A lmarc	ecords via a Locally Created Size 1996 1996 3422 3840	Last Modified 09-03-2015 3:06PM 09-03-2015 4:14PM 09-03-2015 3:06PM 09-03-2015 4:14PM 09-03-2015 4:14PM	
1 2 3 4 5	Name 1 Bib records to load gcld HEX_/ 2015_MARMOT-01.BIB.Imarc	Type A errlog A errlog A lfts A Imarc Imarc	ecords via a Locally Created Size 1996 1996 3422 3840 380655616	Last Modified 09-03-2015 3:06PM 09-03-2015 4:14PM 09-03-2015 3:06PM 09-03-2015 4:14PM 09-03-2015 5:20PM	
1 2 3 4 5	Name 1 Bib records to load gcld HEX_/ 2015_MARMOT-01.BIB.Imarc 2015_MARMOT-02.BIB.Imarc	Type A errlog A errlog A lfts A Imarc Imarc Imarc	ecords via a Locally Created Size 1996 1996 3422 3840 380655616 374161152	Last Modified 09-03-2015 3:06PM 09-03-2015 4:14PM 09-03-2015 3:06PM 09-03-2015 4:14PM 08-16-2015 5:20PM 08-18-2015 12:06AM	

Load Records--prep the file in Sierra

📐 Sierra · M	🔊 Sierra · Marmot Library Network · Amy Shipley - GarCo											_ 🗆 🔀	
<u>F</u> ile <u>E</u> dit <u>V</u>	ïew <u>G</u> o <u>T</u> ools	Re <u>p</u> orts	<u>A</u> dmin	W <u>i</u> ndow	<u>A</u> ll Load	<u>H</u> elp							
sier	יום						FUNCT	ION	Data E	kchange)		•
100.5.5 M					鹵		ŵ	Ð	CP	Ľ₽	CV	3 1	1
					View	Сору	Delete	Load	Get FTS	Get FTS	Get PC	Prep P	Prep T
		<u>S</u> ele	ct Proc	ess Load	Records v	ia a Local	ly Created	Load Pr	ofile 🔻			•	
File	N	lame		Туре		Siz	e			Last N	lodified		
1	(135)records 8	september 2	2015	lfts	2363	65		09-0	8-2015 9:	37AM			^
2	1 Bib records to	load gold H	EX_A	errlog	1996			09-03	3-2015 3:	D6PM			
3	1 Bib records to	load gold H	EX_A	errlog	1996			09-03	09-03-2015 4:14PM				
4	1 Bib records to	load gcld H	EX_A	lfts	3422			09-03	09-03-2015 3:06PM				
5	1 Bib records to	load gcld H	EX_A	Imarc	marc 3840		09-03	09-03-2015 4:14PM					
6	2015_MARMOT	-01.BIB.Imar	C	Imarc	3806	55616		08-1	6-2015 5:	20PM			
7	2015_MARMOT	-02.BIB.Imar	C	Imarc	3741	61152		08-1	3-2015 12	:06AM			
Q D	2015 MARMOT	03 RIR Imar	r.	Imarc	57//	71/10/		0.9.1	0 2015 11	-51 DM			~

Load Records--use load table X

📐 Sierra · M	larmot Library Network · Amy Shiple	y - GarCo			- 🗆 🔀
<u>F</u> ile <u>E</u> dit <u>V</u>	<u>/</u> iew <u>G</u> o <u>T</u> ools Reports <u>A</u> dmin	W <u>i</u> ndow <u>A</u>	Il Load <u>H</u> elp		
sie	na		FUNCTIO	DN Data Exchange	•
10000			a 1 i		
				Load Get FTS Get FTS Get PC Prep P	Prep T
			cords via a Locally Created Lo		
File	Name	Туре	Size	Last Modified	
1	(135)records september 2015		236365	09-08-2015 9:37AM	^
2	(135)records 8 september 2015		254976	09-08-2015 938AM	
3	1 Bib records to load gcld HEX_A	_	1996	09-03-2015 3:06PM	
4	1 Bib records to load gcld HEX_A	_	1996	09-03-2015 4:14PM	
5	1 Bib records to load gcld HEX_A		3422	09-03-2015 3:06PM	
6	1 Bib records to load gcld HEX_A		3840	09-03-2015 4:14PM	
	2015_MARMOT-01.BIB.Imarc	Imarc	380655616 374161152	08-16-2015 5:20PM 08-18-2015 12:06AM	
8	2015_MARMOT-02.BIB.Imarc 2015_MARMOT-03.BIB.Imarc	Imarc Imarc	574471424	08-18-2015 12:00AM 08-19-2015 11:51PM	
10	2015_MARMOT-03.BIB.Imarc	Imarc	477644544	08-22-2015 11.51PM	
11	2015_MARMOT-04.BIB.Imarc	Imarc	270623488	08-22-2015 8:07AM	~
					`

Load Records--use load table X

💦 Sierra · Marmot Library N	etwork · Amy Shipley - GarC	Co				×
<u>File E</u> dit <u>V</u> iew <u>G</u> o <u>T</u> ool	Re <u>p</u> orts <u>A</u> dmin W <u>i</u> ndo	ow <u>H</u> elp				
sierra			FUNCTION	Data Exchange		•
					Print	Close
Process	oad Records via a Locally	Created Load Profile				
Function	X) Load vendor file 917 M/	ARC tag match				
Input File	135)records 8 september 2	2015.MRC.Imarc (254,976	bytes)			
Start Block	1					
Stop Block	995					
Maximum Records to Load	1000000					
Use Review Files						
Output Messages						
		Te <u>st</u> Loa	1			

Load Records--use load table X

🔣 Sierra · Marmot Library N	letwork · Amy S	hipley - GarCo						= 🗆 🔀
<u>File E</u> dit <u>V</u> iew <u>G</u> o <u>T</u> ool	s Re <u>p</u> orts <u>A</u> d	min W <u>i</u> ndow	<u>H</u> elp					
sierra					FUNCTION	Data Exchange		•
							Print	Close
Process	Load Records v	ia a Locally Crea	ted Load Profil	e				
Function	(X) Load vendo	or file 917 MARC	ag match					
Input File	(135)records 8	september 2015	MRC.Imarc (2	54,976 bytes)				
Start Block	1							
Stop Block	995							
Maximum Records to Load	1000000							
Use Review Files				•				
Output Messages								
BIBLIOGRAPHIC 22	b1001231	b1001231	113		135			~
ITEM 145	i1000032	i1000020	0	0	145			*
			T	e <u>st</u> Load				
Processed: 135 Inserted: 16	7 Overlaid: 113	Errors: 4				Completed		

Load Records--print to email

- 43 291 The Iron Butterfly OVERLAY b49054703 INSERT i99553338
 44 293 Blue potatoes, orange tomatoes INSERT b49231662 MAT = 1 INSERT i9955334x
 45 299 Ultimate Book of Step-By-Step C INSERT b49231674 MAT = 1 INSERT i99553351
 REC BLOCK TITLE RESULT MATCHES
 - 46 302 Blue potatoes, orange tomatoes INSERT b49231686 MAT = 1 INSERT i99553363

Anything with "insert b" is a potential duplicate in Sierra. Dedupe these.

Duplicate Check

Using Headings Reports, run a duplicate entry search and clear the duplicates.

Download and Process Invoices

Delete invoices from the vendor server after downloading

Clean Up BOBs with no Items Make a list of all of paid orders within a certain date range (start small, you can always go bigger)

Flip that list into a list of bibs

Clean Up BOBs with no Items Open the list of bibs in global update

Use Tools-->Limit with the limit being item location between gc and gcz

This excludes any bibs without garco items attached.

Clean Up BOBs with no Items

Remove any bibs that came up after that limit. (You are removing the bibs with your items attached)

That leaves bibs with a garco order attached but no garco item attachedDedupe Sierra from this list